
5.6/8/12 Inches Marine GPS Plotter Echo Sounder

High Resolution

KP-6299C: 5.6 inches Color TFT Display, 640×480 pixels

KP-8299C: 8.0 inches Color TFT Display, 800×600 pixels

KP-1299C: 12.1 inches Color TFT Display, 800×600 pixels

8 Color or 8 Level Amber Presentation

50/200 kHz Transceivers, Output Power:

KP-6299C 300 Watt

KP-8299C 600 Watt

KP-1299C 600 Watt

Blue, Light Blue, or Black Background Color

8 Range Scales, from 0-15 to 0-1000 Feet

Range Offset to 1000 Feet, Maximum Offset Range of 2000 Feet

Automatic Range and Gain Selection Mode

A-Scope Display for Rapid Fish ID and Detection

Multiple Display Modes:

Single or Dual Frequency

Bottom Zoom

Bottom Lock Expansion

Marker Zoom

Navigation Data Screen

A-Scope

Digital Displays of Speed, Depth, Water Temperature*, and Position

Adjustable Bottom or Fish Alarm

Calibration in Feet, Fathoms or Meters

Built-in Picture Simulator

SD-cards slot for C-Map MAX and user data

C-Map MAX and K-Chart Selectable

Tide table

Versatile display mode include

Plotter Screen

Plotter+Sounder

Sounder

Nav.Data

Satellite Information

AIS Display

Compass Screen

GOTO track navigation

MAP orientation select

Proximity waypoints alarms

Perspective View

MAP Palette

Normal

Daylight – exposed to sunlight

Night – in dark environment

NOAA – paper chart colors

Water Temperature data input required

PLOTTER CHARACTERISTICS

Waypoints/icons	15,000 waypoints with name, symbol, 10 proximity waypoint
Routes	waypoint up to 200 points each, plus MOB and Track Navigation or Goto Track modes
Tracks	30,000 point automatic track log; 15 saved track (up to 2000 track points each)let you retrace your path in both directions

Alarms
Pallette

XTE, Anchor drag, arrival, speed, voltage, proximity waypoint and time,AIS alarm.

Product link : <https://www.jiayoungmarine.com/?p=1078>